

SUZUKI

Protection of engine bay and transmission elements from mechanical deformation. Protection of engine bay and transmission elements from dust and damp.

Installation manual

### INSTALLATION:

Engine bay and transmission elements skid plate has been designed particularly for a certain vehicle. It should be mounted according to the producer's installation instruction by a dedicated dealer or on certified service stations. The skid plate is fixed to regular apertures located on vehicle's body load-bearing elements. In case of correct installation the skid plate should not interfere with any vehicle's units and components.

## INSTALLATION MANUAL:

1. Fix the bracket of the skid plate to the bar of the transmission's beam, through apertures with

### M10v20holts

2. Mount the skid plate on too of the carter's protection with M8x20bolts

3. Fix the rear part to the mounted bracket with M8v20holts

## 4. Tighten all screw joints.

OPERATING CONDITIONS:

Engine bay and transmission elements skid plate has been designed to operate in conditions specified by vehicle's producer. Cases of crush or driving into obstacles, at a speed should be excluded during exploitation. In case of head-on crush it is necessary to assure in absence of damages of vehicle's components and units and availability of roadworthiness on certified service stations

### WARRANTY: Warranty period - 1 year.

# WARRANTY TERMS:


The skid plate should be installed on a vehicle with undamaged body and load-bearing elements (vehicle, which hads never been involved in road traffic accident): There are no mechanical damages of the skid plate resulting from head-on crush. All requirements to skid plate

installation should be satisfied:

There are no mechanical damages of powder coating. Producer does not bear liability for damages caused to the vehicle, health and life of people in case of installation and exploitation terms violation. Producer has a right to introduce changes into the skid plate construction.



The Quality Management System of LLC Metalloproduktsia has been audited by Bureau Veritas Certification and conforms to requirements of the ISO 9001:2008 standard.





Skid plate for: engine bay

IST OF PARTS			NO.	NAME	QTY
NO.	NAME	QTY.	6	washer M10	2
1	Fron beam	1	7		
2	Bolt M8x20	4	8		
3	Bolt M10x20	2	9		
4	Nut M10	2	10		
5	Washer M8	4	11		

24.0 HM